ELSEVIER

Chemistry and Physics of Lipids
78 (1995) 209

Chemistry and Physics
of
LIPIDS

Author index

Volume 78 (1995)

Arnhold, J. **78**, 55
Arnold, K. **78**, 55

Babiker, A. **78**, 119
Bagatolli, L.A. **78**, 193
Berdeaux, O. **78**, 71
Bergqvist, M.H.J. **78**, 97
Bettin-Bogutzki, A. **78**, 137
Bhattacharya, S. **78**, 177

Cantù, L. **78**, 47
Chardigny, J.-M. **78**, 65
Chau, S.H. **78**, 189
Conroy, J.P. **78**, 129

Diczfalusy, U. **78**, 119
Doan, H.D. **78**, 65
Dzeletovic, S. **78**, 119

Evans, R.W. **78**, 163
Eynard, T. **78**, 71

Fenet, B. **78**, 65
Fidelio, G.D. **78**, 193
Fox, K.K. **78**, 129
Freisleben, H.-J. **78**, 137
Frense, D. **78**, 81

Glatter, O. **78**, 47
Greiner, J. **78**, 149
Guillod, F. **78**, 149
Gunstone, F.D. **78**, 89

Haftendorn, R. **78**, 81
Hauksson, J.B. **78**, 97
Hiremath, U.S. **78**, 177
Hsieh, C.-H. **78**, 37

Jezek, P. **78**, 137
Jie, K. **78**, 1, 15, 189
John, G. **78**, 137
Jonas, A. **78**, 103
Jonas, J. **78**, 103

King, G. **78**, 203
Kozubek, A. **78**, 29

Lam, C.C. **78**, 1, 15
Lee, B.-S. **78**, 103
Lie, M.S.F. **78**, 1, 15, 189
Lund, E. **78**, 119

Mabry, S.A. **78**, 103
Maurer, N. **78**, 47
Montich, G.G. **78**, 193

Nawroth, T. **78**, 137

Noël, J.- P. **78**, 71
Nour, M. **78**, 71

Oliver, J.E. **78**, 203

Panasenko, O.M. **78**, 55
Panicker, S. **78**, 203
Perez, J.D. **78**, 193
Poullain, D. **78**, 71

Ravera, M. **78**, 193
Riess, J.G. **78**, 149
Rilfors, L. **78**, 97
Ring, K. **78**, 137

Schiller, J. **78**, 55
Seth, S. **78**, 89
Sébédio, J.-L. **78**, 65, 71
Sonnet, P.E. **78**, 203
Subramanian, M. **78**, 177

Tyman, J.H.P. **78**, 29

Ulbrich-Hofmann, R. **78**, 81

Vatèle, J. **78**, 71
Vatèle, J.-M. **78**, 65
Vladimirov, Y. **78**, 55

Waters, R. **78**, 203
Wolff, R.L. **78**, 89
Wu, W.-g. **78**, 37

Zwicker, K. **78**, 137

0009-3084/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

ELSEVIER

Chemistry and Physics of Lipids
78 (1995) 211–214

Chemistry and Physics
of
LIPIDS

Subject index

Volume 78 (1995)

Δ5 acid; *Chamaecyparis lawsoniana* seed oil; Distribution between α- and β-chains; ^{13}C-NMR spectroscopy; Pine seed oil; Pinus seed oil; Pinolenic acid; *Taxus baccata* seed oil **78**, 89

Aggregate; Cholesterol; DPPC; Methylation; Monolayer; Phospholipid; Steroid; Viscosity **78**, 163

Aggregation behavior; Glycosphingolipid; Ganglioside; Dynamic light scattering; Small-angle X-ray scattering; Model calculation **78**, 47

Alkylresorcinols; Phenolic lipids; Resorcinolic lipids; Cardol homologues; Cereal; Rye **78**, 29

Archaea; *Thermoplasma acidophilum*; Tetraether lipid; Proton permeability; Uncouplers; ATP synthesis **78**, 137

ATP synthesis; Archaea; *Thermoplasma acidophilum*; Tetraether lipid; Proton permeability; Uncouplers **78**, 137

Cardol homologues; Phenolic lipids; Resorcinolic lipids; Alkylresorcinols; Cereal; Rye **78**, 29

Cationic lipids/amphiphiles; Vesicles; Phase-transition temperatures; Stacking interactions **78**, 177

Cationic surfactant; Spin-labelling; Phase transition; Dialkyl surfactant **78**, 129

Cereal; Phenolic lipids; Resorcinolic lipids; Alkylresorcinols; Cardol homologues; Rye **78**, 29

Chamaecyparis lawsoniana seed oil; Δ5 acid; Distribution between α- and β-chains; ^{13}C-NMR spectroscopy; Pine seed oil; Pinus seed oil; Pinolenic acid; *Taxus baccata* seed oil **78**, 89

Chiral alcohols; 1,2-Diglycerides; Fluoro-(1-naphthyl)acteic acids; Chiral derivatizing agents **78**, 203

Chiral derivatizing agents; Chiral alcohols; 1,2-Diglycerides; Fluoro-(1-naphthyl)acteic acids **78**, 203

Chlorohydrins; Hypochlorous acid; Double bonds; Phospholipids; Fatty acids **78**, 55

Cholesterol; DPPC; Methylation; Monolayer; Phospholipid; Aggregate; Steroid; Viscosity **78**, 163

Cholesterol; Soybean lipoxygenase; Copper oxidation; Cholesterol-7-hydroperoxides; Fatty acids **78**, 119

Cholesterol-7-hydroperoxides; Soybean lipoxygenase; Copper oxidation; Cholesterol; Fatty acids **78**, 119

^{13}C-NMR; (*Z*)-ethylenic; (*E*)-ethylenic; Triacylglycerols; Triglycerides **78**, 15

^{13}C-NMR; Polyunsaturated; Triacylglycerols; Triglycerides; Geometric isomers; Positional isomers **78**, 1

^{13}C-NMR spectroscopy; Tellurium dichloride; Fatty esters, Positional isomers; ^{1}H-NMR **78**, 189

^{13}C-NMR spectroscopy; Δ5 acid; *Chamaecyparis lawsoniana* seed oil; Distribution between α- and β-chains; Pine seed oil; Pinus seed oil; Pinolenic acid; *Taxus baccata* seed oil **78**, 89

Copper oxidation; Soybean lipoxygenase; Cholesterol; Cholesterol-7-hydroperoxides; Fatty acids **78**, 119

Critical micelle concentration; 2-Modified 1,3-diacylglycerol; Phase diagram; Protein extraction; Reverse micelle **78**, 81

Dialkyl surfactant; Spin-labelling; Phase transition; Cationic surfactant **78**, 129

Digalactosyldiacylglycerol; Glycolipid structure; NMR; Oats **78**, 97

1,2-Diglycerides; Chiral alcohols; Fluoro-(1-naphthyl)acteic acids; Chiral derivatizing agents **78**, 203

0009-3084/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

Dipalmitoylphosphatidylcholine; High pressure; NMR; Lateral diffusion; Phospholipids; Palmitoyl-oleoylphosphatidylcholine **78**, 103

Distribution between α- and β-chains; $\Delta 5$ acid; *Chamaecyparis lawsoniana* seed oil; ^{13}C-NMR spectroscopy; Pine seed oil; Pinus seed oil; Pinolenic acid; *Taxus baccata* seed oil **78**, 89

Double bonds; Hypochlorous acid; Chlorohydrins; Phospholipids; Fatty acids **78**, 55

DPPC; Cholesterol; Methylation; Monolayer; Phospholipid; Aggregate; Steroid; Viscosity **78**, 163

Dynamic light scattering; Glycosphingolipid; Ganglioside; Aggregation behavior; Small-angle X-ray scattering; Model calculation **78**, 47

(*E*)-ethylenic; ^{13}C-NMR; (*Z*)-ethylenic; Triacylglycerols; Triglycerides **78**, 15

(*Z*)-ethylenic; ^{13}C-NMR; (*E*)-ethylenic; Triacylglycerols; Triglycerides **78**, 15

Fatty acids; Hypochlorous acid; Chlorohydrins; Double bonds; Phospholipids **78**, 55

Fatty acids; Soybean lipoxygenase; Copper oxidation; Cholesterol; Cholesterol-7-hydroperoxides **78**, 119

Fatty esters, Positional isomers; Tellurium dichloride; ^{1}H-NMR; ^{13}C-NMR spectroscopy **78**, 189

Fluorinated amphiphile; Fluorosurfactant; Glycolipid; Glycophospholipid; Toxicity; Hemolysis **78**, 149

Fluoro-(1-naphthyl)acteic acids; Chiral alcohols; 1,2-Diglycerides; Chiral derivatizing agents **78**, 203

Fluorosurfactant; Fluorinated amphiphile; Glycolipid; Glycophospholipid; Toxicity; Hemolysis **78**, 149

Ganglioside; Glycosphingolipid; Aggregation behavior; Dynamic light scattering; Small-angle X-ray scattering; Model calculation **78**, 47

Gangliosides; Polarity gradient; Monolayer; Tryptophan fluorescence; Solvatochromic probe **78**, 193

Geometric isomers; ^{13}C-NMR; Polyunsaturated; Triacylglycerols; Triglycerides; Positional isomers **78**, 1

Glycolipid; Fluorinated amphiphile; Fluorosurfactant; Glycophospholipid; Toxicity; Hemolysis **78**, 149

Glycolipid structure; Digalactosyldiacylglycerol; NMR; Oats **78**, 97

Glycophospholipid; Fluorinated amphiphile; Fluorosurfactant; Glycolipid; Toxicity; Hemolysis **78**, 149

Glycosphingolipid; Ganglioside; Aggregation behavior; Dynamic light scattering; Small-angle X-ray scattering; Model calculation **78**, 47

Hemolysis; Fluorinated amphiphile; Fluorosurfactant; Glycolipid; Glycophospholipid; Toxicity **78**, 149

High pressure; NMR; Lateral diffusion; Phospholipids; Dipalmitoylphosphatidylcholine; Palmitoyl-oleoylphosphatidylcholine **78**, 103

^{1}H-NMR; Tellurium dichloride; Fatty esters, Positional isomers; ^{13}C-NMR spectroscopy **78**, 189

^{2}H-NMR; Relaxation; Unfrozen water; Phospholipid **78**, 37

Hypochlorous acid; Chlorohydrins; Double bonds; Phospholipids; Fatty acids **78**, 55

[1-^{14}C]-Labelled fatty acids; n-6 *Trans* polyunsaturated fatty acid synthesis; Wittig reaction **78**, 71

Lateral diffusion; High pressure; NMR; Phospholipids; Dipalmitoylphosphatidylcholine; Palmitoyl-oleoylphosphatidylcholine **78**, 103

Methylation; Cholesterol; DPPC; Monolayer; Phospholipid; Aggregate; Steroid; Viscosity **78**, 163

Model calculation; Glycosphingolipid; Ganglioside; Aggregation behavior; Dynamic light scattering; Small-angle X-ray scattering **78**, 47

2-Modified 1,3-diacylglycerol; Critical micelle concentration; Phase diagram; Protein extraction; Reverse micelle **78**, 81

Monolayer; Cholesterol; DPPC; Methylation; Phospholipid; Aggregate; Steroid; Viscosity **78**, 163

Monolayer; Polarity gradient; Gangliosides; Tryptophan fluorescence; Solvatochromic probe **78**, 193

n-3 *Trans* polyunsaturated fatty acids; Synthesis; Wittig reaction **78**, 65

n-6 *Trans* polyunsaturated fatty acid synthesis; [1-^{14}C]-Labelled fatty acids; Wittig reaction **78**, 71

NMR; Digalactosyldiacylglycerol; Glycolipid structure; Oats **78**, 97

NMR; High pressure; Lateral diffusion; Phospholipids; Dipalmitoylphosphatidylcholine; Palmitoyl-oleoylphosphatidylcholine **78**, 103

Oats; Digalactosyldiacylglycerol; Glycolipid structure; NMR **78**, 97

Palmitoyl-oleoylphosphatidylcholine; High pressure; NMR; Lateral diffusion; Phospholipids; Dipalmitoylphosphatidylcholine **78**, 103

Phase diagram; Critical micelle concentration; 2-Modified 1,3-diacylglycerol; Protein extraction; Reverse micelle **78**, 81

Phase transition; Spin-labelling; Dialkyl surfactant; Cationic surfactant **78**, 129

Phase-transition temperatures; Vesicles; Cationic lipids/amphiphiles; Stacking interactions **78**, 177

Phenolic lipids; Resorcinolic lipids; Alkylresorcinols; Cardol homologues; Cereal; Rye **78**, 29

Phospholipid; Cholesterol; DPPC; Methylation; Monolayer; Aggregate; Steroid; Viscosity **78**, 163

Phospholipid; ^{2}H-NMR; Relaxation; Unfrozen water **78**, 37

Phospholipids; High pressure; NMR; Lateral diffusion; Dipalmitoylphosphatidylcholine; Palmitoyl-oleoylphosphatidylcholine **78**, 103

Phospholipids; Hypochlorous acid; Chlorohydrins; Double bonds; Fatty acids **78**, 55

Pine seed oil; Δ5 acid; *Chamaecyparis lawsoniana* seed oil; Distribution between α- and β-chains; ^{13}C-NMR spectroscopy; Pinus seed oil; Pinolenic acid; *Taxus baccata* seed oil **78**, 89

Pinolenic acid; Δ5 acid; *Chamaecyparis lawsoniana* seed oil; Distribution between α- and β-chains; ^{13}C-NMR spectroscopy; Pine seed oil; Pinus seed oil; *Taxus baccata* seed oil **78**, 89

Pinus seed oil; Δ5 acid; *Chamaecyparis lawsoniana* seed oil; Distribution between α- and β-chains; ^{13}C-NMR spectroscopy; Pine seed oil; Pinolenic acid; *Taxus baccata* seed oil **78**, 89

Polarity gradient; Gangliosides; Monolayer; Tryptophan fluorescence; Solvatochromic probe **78**, 193

Polyunsaturated; ^{13}C-NMR; Triacylglycerols; Triglycerides; Geometric isomers; Positional isomers **78**, 1

Positional isomers; ^{13}C-NMR; Polyunsaturated; Triacylglycerols; Triglycerides; Geometric isomers **78**, 1

Protein extraction; Critical micelle concentration; 2-Modified 1,3-diacylglycerol; Phase diagram; Reverse micelle **78**, 81

Proton permeability; Archaea; *Thermoplasma acidophilum*; Tetraether lipid; Uncouplers; ATP synthesis **78**, 137

Relaxation; ^{2}H-NMR; Unfrozen water; Phospholipid **78**, 37

Resorcinolic lipids; Phenolic lipids; Alkylresorcinols; Cardol homologues; Cereal; Rye **78**, 29

Reverse micelle; Critical micelle concentration; 2-Modified 1,3-diacylglycerol; Phase diagram; Protein extraction **78**, 81

Rye; Phenolic lipids; Resorcinolic lipids; Alkylresorcinols; Cardol homologues; Cereal **78**, 29

Small-angle X-ray scattering; Glycosphingolipid; Ganglioside; Aggregation behavior; Dynamic light scattering; Model calculation **78**, 47

Solvatochromic probe; Polarity gradient; Gangliosides; Monolayer; Tryptophan fluorescence **78**, 193

Soybean lipoxygenase; Copper oxidation; Cholesterol; Cholesterol-7-hydroperoxides; Fatty acids **78**, 119

Spin-labelling; Phase transition; Dialkyl surfactant; Cationic surfactant **78**, 129

Stacking interactions; Vesicles; Phase-transition temperatures; Cationic lipids/amphiphiles **78**, 177

Steroid; Cholesterol; DPPC; Methylation; Monolayer; Phospholipid; Aggregate; Viscosity **78**, 163

Synthesis; n-3 *Trans* polyunsaturated fatty acids; Wittig reaction **78**, 65

Taxus baccata seed oil; Δ5 acid; *Chamaecyparis lawsoniana* seed oil; Distribution between α- and β-chains; ^{13}C-NMR spectroscopy; Pine seed oil; Pinus seed oil; Pinolenic acid **78**, 89

Tellurium dichloride; Fatty esters, Positional isomers; ^{1}H-NMR; ^{13}C-NMR spectroscopy **78**, 189

Tetraether lipid; Archaea; *Thermoplasma acidophilum*; Proton permeability; Uncouplers; ATP synthesis **78**, 137

Thermoplasma acidophilum; Archaea; Tetraether lipid; Proton permeability; Uncouplers; ATP synthesis **78**, 137

Toxicity; Fluorinated amphiphile; Fluorosurfactant; Glycolipid; Glycophospholipid; Hemolysis **78**, 149

Triacylglycerols; ^{13}C-NMR; (*Z*)-ethylenic; (*E*)-ethylenic; Triglycerides **78**, 15

Triacylglycerols; ^{13}C-NMR; Polyunsaturated; Triglycerides; Geometric isomers; Positional isomers **78**, 1

Triglycerides; ^{13}C-NMR; (*Z*)-ethylenic; (*E*)-ethylenic; Triacylglycerols **78**, 15

Triglycerides; ^{13}C-NMR; Polyunsaturated; Triacylglycerols; Geometric isomers; Positional isomers **78**, 1

Tryptophan fluorescence; Polarity gradient; Gangliosides; Monolayer; Solvatochromic probe **78**, 193

Uncouplers; Archaea; *Thermoplasma acidophilum*; Tetraether lipid; Proton permeability; ATP synthesis **78**, 137

Unfrozen water; ^{2}H-NMR; Relaxation; Phospholipid **78**, 37

Vesicles; Phase-transition temperatures; Cationic lipids/amphiphiles; Stacking interactions **78**, 177

Viscosity; Cholesterol; DPPC; Methylation; Monolayer; Phospholipid; Aggregate; Steroid **78**, 163

Wittig reaction; n-3 *Trans* polyunsaturated fatty acids; Synthesis **78**, 65

Wittig reaction; n-6 *Trans* polyunsaturated fatty acid synthesis; [1-^{14}C]-Labelled fatty acids **78**, 71